



Global

Excotrans USA



AIR BRAKE AND WHEEL



GLO NUMBER	SET	CONE	CUP
GLO174050	401	BR580	BR572
GLO174051	402	BR582	BR572
GLO174052	403	594-A	CUP 592-A
GLO174053	404	598-A	592-A
GLO174054	405	BR633	BR653
GLO174055	406	BR3782	BR3720
GLO174056	407	BR28682	BR28622
GLO174057	408	BR39590	BR39520
GLO174058	409	BR45280	BR45220
GLO174059	410	BR45284	BR45220
GLO174060	411	BR47686	BR47686
GLO174061	412	HM212047	HM212011
GLO174062	413	HM212049	HM212011
GLO174063	414	HM218248	HM218210

GLO NUMBER	SET	CONE	CUP
GLO174064	415	HM518445	HM518410
GLO174065	420	HM715345	HM715311
GLO174066	421	HM516449-A	HM516410
GLO174067	422	HM516449-C	HM516410
GLO174068	423	6461-A	BR6420
GLO174069	424	555-S	552-A
GLO174070	425	BR567	BR563
GLO174071	426	BR47679	BR47620
GLO174072	439	HM212049-X	HM212011
GLO174073	68	BR497	BR493





GLO NUMBER	REPLACEMENT
GLO172050	370001A
GLO172051	370003A
GLO172052	370011A
GLO172053	370019A
GLO172054	370022A
GLO172055	370023A
GLO172056	370025A
GLO172057	370031A
GLO172058	370033A
GLO172059	370036A
GLO172060	370037A
GLO172061	370048A
GLO172062	370065A

GLO NUMBER	REPLACEMENT
GLO172063	370069A
GLO172064	370086A
GLO172065	370121A
GLO172066	370124A
GLO172067	376590A
GLO172068	9773
GLO172069	710008A
GLO172070	415003
GLO172071	415983
GLO172072	415991



BRAKE LINING & RIVET



GLO120008

GLOBAL BRAKE LINING RIVETS BRASS

BRAKE RIVET L 10/10 HEAD 1/2" BODY 1/4" , L 10/16".
SALES IN PACKAGE OF 50 PIECES.

DIMENSIONS:
9/32" DIAMETER HEAD
1/8" DIAMETER RIVET
5/16" LONG



GLO120010

BRAKE LINED SET 4515E 23K

BRAKE LINED SET 4515E 23K
BRAKE LINED 8 PIECES SET PER AXEL NOISELESS, STEADY FRICTION
COEFFICIENT, SIZE: 16-1/2" X 7".

CROSS REFERENCE: MERITOR F5604515E,
FEDERAL MONGUL EXP4515ED.




GLO120011

BRAKE LINED SET 4515Q 23K

BRAKE LINED 8 PIECES SET PER AXEL NOISELESS, STEADY FRICTION
COEFFICIENT.

SIZE: 16-1/2" X 7".



GLO120012

BRAKE LINED SET 4709 23K

BRAKE LINED 8 PIECES SET PER AXEL NOISELESS, STEADY FRICTION
COEFFICIENT, SIZE: 16-1/2" X 7".

CROSS REFERENCE: 4709

BRAKE LINING & RIVET

BRAKE LINED SET 4707 23K

BRAKE LINED 8 PIECES SET PER AXEL NOISELESS, STEADY FRICTION COEFFICIENT.

SIZE: 16-1/2" X 7"




GLO120013

GLOBAL BRAKE LINED SET 19701

BRAKE LINED SET 19701 23K
BRAKE LINED 8 PIECES SET PER AXEL NOISELESS,
STEADY FRICTION COEFFICIENT, SIZE: 16-1/2" X 7"

CROSS REFERENCE: WVA 19071 VOLVO BRAKE LINING



GLO120014

BRAKE LINED SET 4515E 23K

REAR BRAKE LINED 8 PIECES SET PER AXEL NOISELESS, STEADY FRICTION COEFFICIENT, SIZE: 16-1/2" X 7"

CROSS REFERENCE: VOLVO 19940 BRAKE LINING.



GLO120015

BRAKE DRUMS



GLO121060

BRAKE DRUM REAR REPLACEMENT 3600AX

SIZE: 16.5 IN. BRAKE SURFACE DIAMETER, 7.62 IN. WIDE, 10.59 IN. DEPTH, 10 BOLT HOLES, 1 IN. BOLT HOLE SIZE, 11.25 IN. CIRCLE DIAMETER, 8.78 IN. PILOT DIAMETER, 115 LBS. DRUM WEIGHT, OUTBOARD DRUM MOUNT.

CROSS REFERENCES:

BLUE BIRD BUS 43877, 3398 3600AX MACK TRUCKS, 151.3600AX AUTOMANN, INC, 3600AX GUNITE CORPORATION, GUN 3600AX FREIGHTLINER CORPORATION, TWDGU3600AX NAPA ZBR3600AX NAVISTAR INTERNATIONAL, 17QJ4110 DANA CORPORATION.



GLO121062

GLOBAL BRAKE DRUM REPLACEMENT 3721AX

SIZE: 15" BRAKE SURFACE DIAMETER, 4.72" WIDE, 8.86" DEPTH, 10 BOLT HOLES, 1.28" BOLT HOLE SIZE, 11.2" CIRCLE DIAMETER, 8.78" PILOT DIAMETER, 81 LBS. DRUM WEIGHT, OUTBOARD DRUM MOUNT.

CROSS REFERENCE:

FORD - #94563721AX / GUNITE - #3721A, 3721AX / MACK - #17QJ4132 / MERITOR - #3123254002, 85123254002 / PETERBILT - #201858, 02-01858 / VOLVO/WHITE - #20354828 / WEBB - #61528.



GLO121064

GLOBAL BRAKE DRUM REPLACEMENT 2983C

SIZE: 16.5" BRAKE SURFACE DIAMETER, 7.44" WIDE, 8.38" DEPTH, 0.83" BOLT HOLES SIZE, 11" CIRCLE DIAMETER, 9.44" PILOT DIAMETER, 102 DRUM WEIGHT, INBOARD DRUM MOUNT.

CROSS REFERENCES:

DB67518U TRP, 03-122222 MERITOR, 2983C GUNITE, 6V2983CAT INTERSTATE MCBEE, 151.2983C AUTOMANN 3398-2983C MACK TRUCKS, TWD2983C NAPA 3398-2983CX MACK TRUCKS. 9456 2983C FORD MOTOR COMPANY.



GLO121065

GLOBAL BRAKE DRUM FRONT REPLACEMENT 3800AX

SIZE: 15" BRAKE SURFACE DIAMETER, 4" WIDE, 9.04" DEPTH, 1.28" BOLTS HOLE SIZE, 11.25 CIRCLE DIAMETER, 10 BOLT HOLES, 8.78" PILOT DIAMETER.

CROSS REFERENCES:

MERITOR 85123448002, DB154B TRP, 3800X GUNITE, GUN3800X MACK TRUCKS, TWD3800X NAPA, 151.3800X AUTOMANN, CM10081828. CONMET, 3198 PAI, ZBR3800X NAVISTAR.

BRAKE DRUMS

GLOBAL BRAKE DRUM REAR REPLACEMENT 3141X

SIZE: 16.5" BRAKE SURFACE DIAMETER, 7.88" WIDE, 10.6" DEPTH, 10 BOLT HOLES, 0.81" BOLT HOLE SIZE, 11.2" CIRCLE DIAMETER, 9.00" PILOT DIAMETER, 113 DRUM WEIGHT, OUTBOARD DRUM MOUNT.

CROSS REFERENCES: DB66875U TRP, GUN 3141BX FREIGHTLINER, 3398-3141BX, MACK TRUCKS, TWD3141B NAPA, 88797B STEMCO, 66875F20 WHEEL, 1003141BXW BENDIX, GUN3141B VOLVO TRUCKS, ZBR3141B NAVISTAR INTERNATIONAL, FORD 9456 3141B, FORT-PRO F224936, SAP3141X



GLO121066

GLOBAL BRAKE DRUM FRONT REPLACEMENT 3166X


SIZE: 15.0 IN. BRAKE SURFACE DIAMETER, 4 IN. WIDE, 10 BOLT HOLES, 8.78 IN. PILOT DIAMETER.

CROSS REFERENCES: 1513166 / 66893 / X60611 / 3166AX / 3166A 122607 / 5302601 / HD2.



GLO121067

SHOE BOX KITS



GLO122020

GLOBAL BRAKE SHOE BOX KIT 4709SII

DIMENSIONS: 16.5"X 7", INCLUDES TWO AIR BRAKE SHOES AND ONE HARDWARE KIT (DOES NOT DAMAGED THE WHEEL DRUM) (HIGH TEMPERATURE RESISTANT)

CROSS REFERENCES: SB4709SII1180



GLO122021

BRAKE SHOE BOX KIT 4515E 23K

DIMENSIONS: 16.5"X 7", INCLUDES TWO AIR BRAKE SHOES AND ONE HARDWARE KIT (DOES NOT DAMAGED THE WHEEL DRUM) (HIGH TEMPERATURE RESISTANT).

CROSS REFERENCE: SB23P4515X, AUTOMANN 144.451582.3032, E-7905, E-XK884515F3, WK4515F9500, MERITOR A3722 N66.



GLO122022

GLOBAL BRAKE SHOE BOX KIT 4709 23K

DIMENSIONS: 16.5"X 7", INCLUDES TWO AIR BRAKE SHOES AND ONE HARDWARE KIT (DOES NOT DAMAGED THE WHEEL DRUM) (HIGH TEMPERATURE RESISTANT).

CROSS REFERENCE: EATON 819700, F224912



GLO122023

GLOBAL BRAKE SHOE BOX KIT 4709ES2 23K

DIMENSIONS: 16.5"X 7", INCLUDES TWO AIR BRAKE SHOES AND ONE HARDWARE KIT (DOES NOT DAMAGED THE WHEEL DRUM) (HIGH TEMPERATURE RESISTANT)

CROSS REFERENCES: SB4709SII1180

SHOE BOX KITS

BRAKE SHOE BOX KIT 23K, 15"X 4" FRONT POSITION 4702Q

15"X 4", FRONT POSITION, (DOES NOT DAMAGED THE WHEEL DRUM) (HIGH TEMPERATURE RESISTANT).

CROSS REFERENCE: AUTOMANN 144.470280.3010, MERITOR XK214702QP, E-11802, FREIGHTLINER MK4702Q23HD, HALDEX GG4702QJ,VOLVO MIDGG4702QJ.



GLO122024

GLOBAL BRAKE SHOE BOX KIT 4515Q 23K

DIMENSIONS: 16.5"X 7", INCLUDES TWO AIR BRAKE SHOES AND ONE HARDWARE KIT, DOES NOT DAMAGED THE WHEEL DRUM, HIGH TEMPERATURE RESISTANT.

CROSS REFERENCE: 4515EZT, A913222S1293, R4515, 01128, 1128, M1421, 21898, 01128, 4515Q, 67379, L1478, 67379, A3222S1293, A913222S1293, R4515, 4515EST, 21898, 4515Q, 7A3127, G2058987.



GLO122025

BRAKE SHOE BOX KIT 4707Q 23K.

DIMENSIONS: 16.5"X 7", INCLUDES TWO AIR BRAKE SHOES AND ONE HARDWARE KIT (DOES NOT DAMAGED THE WHEEL DRUM) (HIGH TEMPERATURE RESISTANT)

CROSS REFERENCE: SB23P4707QP, AUTOMANN 144.470780.3022, E-11800, E-XK884707QP,WK4707Q9500.



GLO122026

GLOBAL BRAKE SHOE BOX KIT 1308Q

15"X 4", DOES NT DAMAGED THE WHEEL DRUM, HIGH TEMPERATURE RESISTANT.

CROSS REFERENCE: 144.130880.3010, E-7900, FED. MOGUL EX1308Q.



GLO122028

SHOE BOX KITS



GLO122029

GLOBAL BRAKE SHOE BOX KIT 1443E 23K.

15"X 4" (DOES NOT DAMAGED THE WHEEL DRUM)
(HIGH TEMPERATURE RESISTANT).

CROSS REFERENCE: AUTOMANN 144.144380.3030,
FREIGHTLINER ABP MK1443E23HD, HALDEX GG1443EG,
F224917, MERITOR R700017.




GLO122031

GLOBAL BRAKE SHOE BOX KIT 4715Q 23K.

CROSS REFERENCE:

MERITOR KSF5234715QP, F224921



GLO122032

GLOBAL BRAKE SHOE BOX KIT 4720Q 23K.

CROSS REFERENCE: F224920, EUCLID E10854,
AUTOMANN 144.472080.3022, 144.472080.4022,
144.472080.5022, BLUE BIRD 00034132.



GLO122034

GLOBAL BRAKE SHOE BOX KIT 4524Q 23K.

CROSS REFERENCE: F224918

BRAKE CHAMBERS



GLO202089

GLOBAL DIAPHRAGM T30

DIAPHRAGM T30 (F224734/236668) TYPE 30 SPRING BRAKE RUBBER DIAPHRAGM 7.88 IN. DIAMETER

CROSS REFERENCE: 27499, E-8894, 2287591, IA395, BX234101, E8894, 2433, 1219827, C1202502AC, MBW234101, 753165011, 451311, 115355000, 1166224110, 2530005345502, 2530002934373, 2530000986190, BO30.



GLO202090

AIR BRAKE SERVICE CHAMBER SC1600 TYPE 16

LONG STROKE 2 1/4" TYPE 16 SERVICE BRAKE CHAMBER, OVERALL DIAMETER: 6 1/4", INCLUDES CLEVIS FOR ATTACHMENT TO SLACK ADJUSTER.

CROSS REFERENCE: 1600001, 288799, 288801, MA36160, 1416001, 1416081, SC16, E-16S BW800823, 5007118, 1006908-001, 1006908-002, 806731, 821274, D6TZ2025A, E7HS2025AA, E8HT2025CA, E9HS2025RB, E9HT2025AC, F2HT2025BA, F3HS2025AA, AUTOMANN 179.SC16A, FREIGHTLINER N42A16SCD, NAPA HD16S, REPLACE 288799, WORLD AMERICA WA16SC, BENDIX 16SC.



GLO202091

AIR BRAKE SERVICE CHAMBER SC 2000 TYPE 20

SIZES: LONG STROKE: 2 1/4", TYPE 20 AIR BRAKE SERVICE CHAMBER, OVERALL DIAMETER: 6 3/4", PUSH ROD THREAD: 5/8"-18, PUSH ROD LENGTH: 8 3/16", INCLUDES CLEVIS FOR ATTACHMENT TO SLACK ADJUSTER.

CROSS REFERENCE: 52000001, 20S, 288803, 5200001, 1420001, SC20, 8A5727, ZAC225932, FREIGHTLINER .ABP N42A20SCD, NAPA HD20S, 288803 | HSC-0220-100.



GLO202092

AIR BRAKE SERVICE CHAMBER SC 2400 TYPE 24

SIZES: LONG STROKE: 2.50", TYPE 24 AIR BRAKE SERVICE CHAMBER, OVERALL DIAMETER: 7- 1/2", PUSH ROD THREAD: 5/8"-18, PUSH ROD LENGTH: 8", INCLUDES CLEVIS FOR ATTACHMENT TO SLACK ADJUSTER.

CROSS REFERENCE: AUTOMANN 179.SC24L, 24S, 1424001, 288808, 288812, M458, 1006910-001, 1006910-002, 18482, 808784, 8, E-24S, E6HT2225LA, N36216LB, N36224, N36224A, N36224AC, 105170-01, 105170-02, 90054403, A-22380, PP84026H, AUTOMANN 179.SC24L HALDEX SC24L, VELVAC 03019.

BRAKE CHAMBERS

AIR BRAKE SERVICE CHAMBER SC 3000 TYPE 30

SIZES: LONG STROKE: 2.50", TYPE 30 AIR BRAKE SERVICE CHAMBER,
OVERALL DIAMETER: 8-1/4", PUSH ROD THREAD: 5/8"-18, PUSH ROD
LENGTH: 7-7/8", INCLUDES CLEVIS FOR ATTACHMENT TO SLACK ADJUSTER.

CROSS REFERENCE: 800826, 060-800826, 500712IN, 500712I, 1430001, 30SC,
225927, 226024, 226200, 226241, 226242, 226422, 226423, 226448, 226578,
227165, 227257, 227683, 228632, 277280, 277281, 277357, 277418, 278454,
278581, 278962, 278991, 288808, HSC-0224-100, 288813, HSC-0230-100.



GLO202093

BRAKE CHAMBER 30/30

DOUBLE DIAPHRAGM, SEALED 30/30. SPRING BRAKE CHAMBER.

CROSS REFERENCE: F224746E.



GLO202097



GLO124009

GLOBAL BRAKE CAMSHAFT REPLACEMENT EUCLID E



GLO124010

GLOBAL BRAKE CAMSHAFT REPLACEMENT E-4709A

1-1/2-10 X 12-1/2. MERITOR P & Q DRIVE. REPLACED BY C709BL (E-4709B).

CROSS REFERENCE: AUTOMANN 122.101216.01, BWP M-998L, WORLD AMERICAN WA05-5085, EUCLID E-4709A, LELAND L-2451, SPICER 18-813.



GLO124011R

GLOBAL BRAKE CAMSHAFT REPLACEMENT EUCLID E1424

TRAILER AXLE RH CAMSHAFT, 20-7/16" LENGTH, 10 SPLINE
CAMSHAFT REPAIR KIT: E2088AHD MERITOR, BRAKE HARDWARE KIT: E2769HD

CROSS REFERENCE: MERITOR R607081, DAYTON 04-572041, E-1424A, HALDEX 41507, HERCULES H10507, HERCULES HQ10507R, EATON 72412, NAVISTAR R607081, STANDARD FORGE 202100205R, SPICER 17580, FORTPRO F224820RH, AUTOMANN 124.102014.04.



GLO124012L

GLOBAL BRAKE CAMSHAFT REPLACEMENT EUCLID E1425

TRAILER AXLE LH CAMSHAFT, 20-7/16" LENGTH, 10 SPLINE, CAMSHAFT REPAIR KIT: E2088AHD MERITOR, BRAKE HARDWARE KIT: E2769HD

CROSS REFERENCE: SBWP M-4025-L, AUTOMANN 124.102014.03, EUCLID E-1425A, MERITOR R607082, FORTPRO: F224821LH.

GLOBAL BRAKE CAMSHAFT REPLACEMENT EUCLID E1563

SPLINE QUANTITY 37, SHAFT DIAMETER 1.59 INCHES, BRAKE DRUM DIAMETER 16-1/2 INCHES, AXLE TYPE TRAILER AXLE, BUSHING JOURNAL LENGTH: 2.5 INCHES, LENGTH 16.13 INCHES, LOCATION LEFT HAND
NOMINAL HEAD DIMENSION: 1.375 IN.

CROSS REFERENCE: MERITOR R607011, WORLD AMERICAN WA05 _ 5003, LELAND L838, TDAR607011, AUTOMAN 21.371604.01.




GLO124013L

GLOBAL BRAKE CAMSHAFT REPLACEMENT EUCLID E1564

SPLINE QUANTITY 37, SHAFT DIAMETER 1-5/8 INCHES, BRAKE DRUM DIAMETER 16-1/2 INCHES, AXLE TYPE TRAILER AXLE, BUSHING JOURNAL LENGTH 2.5 INCHES, LENGTH 16.13 INCHES, LOCATION RIGHT HAND
NOMINAL HEAD DIMENSION 1.375 INCHES.

CROSS REFERENCE: E-1564, L839, LELAND L839, WORLD AMERICAN WA05-5002, MERITOR R607012, AUTOMAN 121.371604.02.



GLO124014R

GLOBAL BRAKE CAMSHAFT REPLACEMENT EUCLID E-2100

BRAKE CAMSHAFT | 21-1/8 INCH | RIGHT HAND

CROSS REFERENCE: AUTOMANN 121.372104.02, SPICER 17622, HALDEX CS41513, HALDEX 41513, EATON 200337, MERITOR R607019.



GLO124015R

GLOBAL BRAKE CAMSHAFT REPLACEMENT EUCLID E-2099


BRAKE CAMSHAFT | 21-1/8 INCH | LEFT HAND.

CROSS REFERENCE: AUTOMAN 121.372104.01, EATON 199971, SPICER 17623, WORLD AMERICAN WA05-5005, HALDEX 41730, MERITOR R607020, MIDLAND CS41512, SPICER 17-623, BATCO 04-281, STD FORGE 202106-XI-212L, FRUEHAUF AXA-0420-003, HERCULES HI0512L.



GLO124016L






GLOBAL BRAKE CAMSHAFT REPAIR KIT REPLACEMENT EUCLID E-2088A

CROSS REFERENCE: EUCLID E-2088A, SIRCO BRAKE B8681, SPICER 437044, WORLD AMERICAN WA08 - 5023, HALDEX CQ67328, HALDEX 67328, EATON 127623, HERCULES H86681.

GLO124020



GLOBAL BRAKE CAMSHAFT REPAIR KIT REPLACEMENT EUCLID E-2469

CROSS REFERENCE: EATON 129449, AUTOMANN 1102307, WORLD AMERICAN WA08-5026, SPICER M12KY101, SPICER 437031, HALDEX CQ673882, MERITOR R615019.

GLO124022



GLOBAL BRAKE CAMSHAFT REPAIR KIT REPLACEMENT EUCLID E-2125

CROSS REFERENCE: AUTOMANN 110.2001, EUCLID E-2125, DAYTON 08-135100, BWP M-K19, LELAND K357, LELAND K359, EATON 78500, MERITOR R615002, HALDEX CQ67326, SPICER 43-7041, BATCO 08-1351, AUTOMANN 110.2001, HALDEX 67326, NEWSTAR S-E805.
WORLD AMERICAN WA08-5024, FORTPRO F224997

GLO124024



GLOBAL BRAKE CAMSHAFT REPAIR KIT REPLACEMENT EUCLID E-3993B

CAMSHAFT REPAIR KIT 15 AND 16-1/2 IN. DRIVE AXLE "Q" AND "Q PLUS" BRAKES. CONTAINS E-3859 RUBBER CAMSHAFT SUPPORT GASKET. CONTAINS NEW STYLE E-5512 MOLY-IMPREGNATED SPIDER BUSHING. CONTAINS LOCK RINGS FOR CAMSHAFTS WITH NARROW OR WIDE GROOVES.
CROSS REFERENCE: AUTOMANN - 110.2007, MERITOR - KIT8042, FORTPRO F224994

GLO124026

SLACK ADJUSTERS



GLO152036

SLACK ADJUSTER 278323

GLOBAL SLACK ADJUSTER 278323 MANUAL SLACK ADJUSTER
CAMSHAFT: 1.5" 28 SPLINE CENTER TO CENTER SPAN: 5.5" & 6.5"

CROSS REFERENCES: 288753N, A13275X596, A53275X596, A73275X596, R822004, R824004, 5-237, 065724, 106924, 1034545, M-2577, 25QD257P3, 25QD341P3, 05-237, E-2459, E-2459BK, OTR44061, GT-5803, L-1648, 1010802, S9862, 035123



GLO152038

SLACK ADJUSTER 2882823

GLOBAL SLACK ADJUSTER 2882823 MANUAL SLACK ADJUSTER
CAMSHAFT: 1 1/2" 1 1/4" - 10/28 SPLINE CENTER TO CENTER SPAN: 5.5" & 6.5"

CROSS REFERENCES: 278326, 278305, 278323, 288282A.



10 Spline

GLO152040

AUTOMATIC SLACK ADJUSTERS 1-1/4" 10 SPLINE 5.5" ARM.

5.5" ARM LENGTH, FITS 1-1/4" 10 SPLINE
CAMSHAFT

CROSS REFERENCE: AUTOMANN 137.1010, BENDIX 065164, EATON 808693, PAI HSA5036.



28 Spline

GLO152042

AUTOMATIC SLACK ADJUSTERS 1-1/2" 28 SPLINE 5.5" ARM.

5.5" ARM LENGTH, FITS 1-1/2" -28 SPLINE
CAMSHAFT

CROSS REFERENCE: PAI HSA-5033, FORD F8HZ2314AA, MACK 745065174.

SLACK ADJUSTERS

AUTOMATIC SLACK ADJUSTERS 1-5/8" 37 SPLINE 6" ARM.

6" ARM LENGTH, FITS 1-5/8" 37 SPLINE CAMSHAFT.

CROSS REFERENCE: BENDIX 065178, WA 65178, TEETH F065178, STEMCO MK23100S.



GLO152044

AUTOMATIC SLACK ADJUSTER 1-1/2" 28 SPLINE 5-1/2" ARM.

5-1/2" ARM LENGTH, FITS 1-1/2" 28 SPLINE CAMSHAFT
ARM HOLE DIAMETER 1/2"

CROSS REFERENCE: HALDEX 40010141, WA 10141, GREAT DANE TRAILER HAL40010141, MACK 53964001014, HSA-5045.



GLO152046

AUTOMATIC SLACK ADJUSTERS 1-1/2" 10 SPLINE 5.5" ARM,

5.5" ARM LENGTH, FITS 1-1/2" 10 SPLINE CAMSHAFT
ARM HOLE DIAMETER 5/8"

CROSS REFERENCE: AUTOMANN 135.1031, FREIGHTLINER HDX40010143, GREAT DANE TRAILERS HAL40010143, NAVI START FLT 40010143, MACK 539640010143, VOLVO MID40010143.



GLO152048

SLACK ADJUSTERS



**AUTOMATIC SLACK ADJUSTERS 1-1/2" 28 SPLINE
5.5" ARM.**

5.5" ARM LENGTH, FITS 1-1/2" 28 SPLINE CAMSHAFT

CROSS REFERENCE: 40010211, HDX40020211, E6944.

GLO152050



**AUTOMATIC SLACK ADJUSTERS TYPE HALDEX
40910408 HALDEX 5.5-6.5 ARM**

GLO152052

HUB CAPS



HUB CAPS 343-4249

DIMENSIONS: TRADITIONAL ALUMINUM, W/ SIDE FILL PLUG
6 HOLES FOR 5/16" , 1-13/16" DEPTH, 1-11/16" INSIDE DEPTH,
4-7/16" INNER FLANGE, 6-3/16" OUTER FLANGE,
BOLT CIRCLE 5-1/2".

CROSS REFERENCE: STEMCO 343-4249.
FORTPRO F276183

GLO194010



HUB CAPS 340-4975

BOLT CIRCLE 6-1/8 X 8, OVERALL DEPTH 2-5/16, INSIDE DEPTH 1-9/16,
FLANGE INNER DIAMETER 5-3/4, FLANGE BOLT CIRCLE 6-1/8 X 8,
OVERALL DEPTH 2-5/16, INSIDE DEPTH 1-9/16,
FLANGE INNER DIAMETER 5-3/4 FLANGE OUTER DIAMETER 6-7/8,
GASKET PART NUMBER 330-3077

CROSS REFERENCES: C/R 1282 340-4975, NAVISTAR ZCP3404975
FREIGHTLINER STM340 4975, GREAT DANES TE340-4975,
MACK 8235MERO4975.

GLO194014



HUB CAP PLUG SMALL VERSION 3/4"

DIMENSIONS: FITS 4 3/8" AND 3 1/2" DIAMETER HUBCAP WINDOWS.
ONLY SOLD IN PACKAGES OF 10 PIECES.

CROSS REFERENCE: VOLVO TM3595915, GREAT DANE STE359-5915,
NAPA TWD3595915.

GLO194015

HUB CAPS

HUB CAPS 343-4009

DIMENSIONS: DIAMETER 6-1/4", BOLT CIRCLE: 5 1/2", BOLT SIZE: 5/16",
NUMBER OF BOLTS: 6, OVERALL DEPTH: 2-11/16", INSIDE DEPTH: 1-15/16",
FLANGE INNER DIAMETER: 4-3/8", FLANGE OUTER DIAMETER: 6-1/4".
CROSS REFERENCES AUTOMANN 180.10629, BWP M2774,
MERITOR MER04009.



GLO194016

HUBCAP PLUG BIG 359-5990

DIMENSIONS: 1 1/8" PLUG DIAMETER, FITS 2 3/4" AND 3 1/2"
WINDOW DIAMETER HUBCAP WINDOWS.
CROSS REFERENCE: VOLVO STE359-5990 FORD DOHZ1A131A,
MACK 94RU150, STEMCO STM3595990.



GLO194017

HUB CAPS 343-4024

CAB HUB TRADITIONAL ALUMINUM WITH SIDE FILL PLUG
DIMENSIONS: HOLES 6, DIAMETER 5-1/4", 6-HOLE FRONT HUBCAP
WITH SIDE PLUG, BOLT CIRCLE: 4-1/2", FLANGE OD: 5-1/4",
FLANGE ID: 3-1/2", HEIGHT: 2-5/8", BOLT HOLES: SIX FOR 5/16".
INCLUDES GASKET.
CROSS REFERENCE: WESTPORT 1436860008 363-4024 343-4024,
EATON 506085, FORD DOHZ1131C, GMC VOLVO 806994,
MACK 19QJ334, MCI 15L523, MERITOR A3262G215, MIDLAND 411630P,
NATIONAL HU024A, SPICER-DANA M10HK170.



GLO194018




WHEEL NUT



GLOBAL WHEEL NUT METRIC 33MM

GLOBAL WHEEL NUT METRIC - 33MM HEX, 30.73 MM LENGTH, 450-500 FT LBS/ "WHEEL NUT METRIC 33MM DOT APPROVE.
CROSS REFERENCE: EUCLID E-6000A, MERITOR R006000A, AUTOMANN 201.3014, EUCLID E6000A, PERNOBOLTS P45-0300-02

GLO238009



LONG NUT 22-1.5 REPLACE INNER CAP NUTS 62 MM

LONG NUT 22-1.5 REPLACE INNER CAP NUT 1 1/8 X 3/4 IN A CONVERSION TO MM STUD. YOU STILL CAN USE THE SAME WHEEL RING FOR REAR WHEEL
GRADE 10.9

GLO239828



GLOBAL SIDE RIGHT WHEEL NUT AND STUD REPLACEMENT ISUZU NPR.

FRONT RIGTH SIDE WHEEL NUTS AND STUD FOR ISUZU NPR, NPR-HD, NQR, NRR REACH, GRADE 10.9, M 20 X 1.5 X 53 R, PHOSPHATE GREY

GLO239830



GLOBAL LEFT WHEEL NUT AND STUD REPLACEMENT ISUZU NPR.

FRONT LEFT SIDE WHEEL NUTS AND STUD FOR ISUZU NPR, NPR-HD, NQR, NRR REACH, GRADE 10.9, M 20 X 1.5 X 53 L
PHOSPHATE GREY
CROSS REFERENCE:

GLO239831

WHEEL NUT

GLOBAL REAR RIGHT WHEEL NUT AND STUD REPLACEMENT ISUZU NPR.

REAR RIGHT ISUZU WHEEL NUT AND STUD NPR, NPR-HD, NQR, NRR REACH, GRADE 10.9, M 20 X 1.5 X 68 R
PHOSPHATE GREY



GLO239832

GLOBAL REAR LEFT WHEEL NUT AND STUD REPLACEMENT ISUZU NPR.

GLOBAL REAR LEFT ISUZU WHEEL NUT AND STUD NPR, NPR-HD, NQR, NRR REACH, GRADE 10.9, M 20 X 1.5 X 68 L
PHOSPHATE GREY

CROSS REFERENCE: PERNOBOLTS P11-0301L-02



GLO239833

GLOBAL WHEEL STUD REPLACEMENT EUCLID E-8981

BODY DIAMETER: 0.971 / 0.975 IN, BODY LENGTH: 1.00 IN,
LENGTH FROM UNDER HEAD-OAL: 4.00 IN, GRADE: 10.9,
THREAD LENGTH: 3.00 IN, LENGTH OF SERRATION: 0.50 IN,
SERRATION DIAMETER: 1.00 / 1.015 IN,
METRIC THREAD SIZE: M22 X 1.5.

CROSS REFERENCE: PERNOBOLTS P10-0011-02,
EUCLID E-6035, W1164, 13-1567, R008981, 201.6152



GLO239834





WHEEL NUT

GLOBAL WHEEL STUD REPLACEMENT EUCLID E-9837



GLOBAL WHEEL STUD.- HUB PILOTED REPLACEMENT EUCLID. SOLD IN PACKAGES 10 PCS. E-9837 - FOR RF21 OR MX23 FRONT STEER AXLES, NUT: 10252, RH, BODY DIA.: 1.220IN, TYPE: METRIC SERRATED WHEEL STUDS, THREAD: M22X1.5, LENGTH: 4.38IN, SHOULDER LENGTH: 1.25IN, THREAD LENGTH: 2.88IN, SERRATION LENGTH: 0.75I

CROSS REFERENCE: AUTOMANN 201.6172, PERNOBOLTS SKU: P10-0017-02, EUCLID E-9837

GLO239837

GLOBAL WHEEL STUD REPLACEMENT E-10221



GLOBAL WHEEL STUD 22 X 1.5 X 5-11/32 REPLACEMENT E-10221. SOLD IN PACKAGES 10 PCS.

CROSS REFERENCE: EUCLID E-10221, AUTOMANN 201.6145, MERITOR R0010221, PERNOBOLTS P10-0015-02

GLO239839

GLOBAL WHEEL STUD REPLACEMENT E-10221



GLOBAL WHEEL STUD REPLACEMENT EUCLID E10219. WHEEL STUD M22 X 1.5 X 115 MM, SAME E-10219.

CROSS REFERENCE: WORLD AMERICAN WA07-6083, AUTOMANN 2016141, PERNO BOLTS P10-0017-02

GLO239841



BRAKE REPAIR KIT



CUP SET FRONT WHEEL CYLINDER WK-624

FRONT DRUM BRAKE WHEEL FOR ENCAVA ENT 610, CYLINDER REPAIR KIT.

CROSS REFERENCE: AUTOFREN D3215, BENDIX 66663, DORMAN 96617, WAGNER WK96617.

GLO121068



CUP SET REAR WHEEL CYLINDER KT-55728

REAR DRUM BRAKE WHEEL CYLINDER REPAIR KIT. 1 1/2"

CROSS REFERENCE: AKRON KT-55728.

GLO121069




BRAKE REPAIRS KIT E2769SHD

CROSS REFERENCE:

AUTOMANN 100.4515.22, WA2769SHD, WAE6999S, EUCLID E-2769SHD, EUCLID E-4515QHDK, DAYTON 4515Q30, MERITOR KIT 8000HD, MERITOR MKT4515QHDK, MIDLAND C66867, MIDLAND CQ66867, SPICER HK29XLS, 4515AQHD, E2769SHD KIT8000HD
4515Q | 4707Q | 4524Q | 4514Q | 4551Q | 4549Q

GLO125040



BRAKE REPAIRS KIT E1816SHD

CROSS REFERENCE: EUCLID E1816SHD, MERITOR R509001, HALDEX CCQ66735, STEMCO SK1650PHD, BATCO 08-100400, BENDIX HK16XLS, WORLD AMERICAN WA08-5020.


GLO125041

BRAKE REPAIR KIT

GLOBAL AIR BRAKE REPAIRS KIT REPLACEMENT E1887AHD

CROSS REFERENCE: EUCLID 1887AHD, E4311EHD, MERITOR R507002, EATON 1001238.

APPLICATION: 4311E, 4311E, E1887AHD W



GLO125042

GLOBAL AIR BRAKE REPAIRS KIT REPLACEMENT E9064

CROSS REFERENCE: EUCLID E9064, E4702KT, MERITOR KIT8824HD, STEMCO SK 1500QP, HALDEX CQ65642, BATCO 08-1160, BENDIX HK29XLS.




GLO125044

GLOBAL AIR BRAKE REPAIRS KIT REPLACEMENT E5481

CROSS REFERENCE: EUCLID 5481, E4709ES, MERITOR MKT4709ES, R507057, EATON 808330, STEMCO SK1650E1, F224805, WORLD AMERICAN WAE5481A .

APPLICATION: 4709ES.



GLO125046

GLOBAL AIR BRAKE REPAIRS KIT REPLACEMENT E1308E

CROSS REFERENCE: EUCLID E1308E, E139, MERITOR 507004, MTK 1308E, STEMCO SK1500E, HALDEX CQ66917, BATCO 08-111300, BENDIX HK54.

APPLICATION: 1308E, 1443E.



GLO125048

BRAKE REPAIR KIT



GLOBAL AIR BRAKE REPAIRS KIT REPLACEMENT E10244S

CROSS REFERENCE: EUCLID 10244S, E10244, E4709E2, MERITOR R507064, MKT4709ES2, EATON 314147.

APPLICATION : 4709ESII

GLO125050



GLOBAL AIR BRAKE REPAIRS KIT REPLACEMENT E3869

CROSS REFERENCE: E3869, E1308Q, MERITOR KIT8029, MKT1308Q, ASTEMCO SK1500Q, HALDEX CQ67899, CQ69003.

APPLICATION: 1308Q

GLO125052



ALUMINUM WHEEL 19.5 X 6.0" 10 HOLES

ALUMINUM WHEEL GLOBAL 19.5 X 6.0" 10 HOLESBOTH SIDE POLISHE.D

GLO401029



WHITE IRON WHEEL 8.25 X 22.5 ARTILLADO

WHITE IRON WHEEL 8.25 X 22.5 ARTILLADO IMPORT OPEN C
ENTER (GLOBAL) WHITE STEEL.

GLO401030



GLOBAL ALLOY ALUMINIUM WHEEL 22.5 X 11.75

ALLOY ALUMINIUM WHEEL 22.5 X 11.75. DIMENSIONS: RIM: 22.5",
RIM WIDHT: 11.75", BOLTS: 10, BRIGHT FINISH ON BOTH SIDES.
AMERICAN TYPE. TIRES SIZE 385 OR 425.

GLO401031



STEEL IRON WHEEL 22.5 X 8.25

STEEL WHEEL 22.5 X 8.25: RIM: 22.5", RIM WIDTH: 8.25", TWO (2)
HAND HOLES:, BOLTS: 10, AMERICAN TYPE.
COLORS SILVERS OR WHITE.

GLO401032

GLOBAL ALLOY ALUMINIUM WHEEL 22.5 X 8.25

ALLOY ALUMINIUM WHEEL 22.5 X 8.25. DIMENSIONS: RIM:22.5", RIM WIDTH: 8.25", BOLTS: 10. BRIGHT POLISH ON BOTH SIDES. AMERICAN TYPE.



GLO401033

GLOBAL ALLOY ALUMINUM WHEEL ENT 610 ENCAVA.

GLOBAL ALLOY ALUMINIUM WHEEL 22.5 X 8.25. ENT 610 , DIMENSIONS: RIM:22.5", RIM WIDTH: 8.25", BOLTS: 6 BRIGHT POLISH ON BOTH SIDES, FOR ENT 610 ENCAVA.



GLO401034

GLOBAL SILVER IRON WHEEL 8.25 X 22.5 / ENT 610 ENCAVA

WHITE IRON WHEEL 22.5 X 8.25 DIMENSIONS: RIM: 22.5", RIM WIDTH: 8.25", BOLTS: 6.



GLO401035

GLOBAL ALLOY ALUMINIUM WHEELS 24.5 X 8.25

GLOBAL ALLOY ALUMINIUM WHEELS 24.5" X 8.25" HUB-PILOT 10 L, GLOBAL ALUMINUM WHEEL.



GLO401036





GLO401037

ALUMINUM WHEEL ALCOA 24.5 X 8.25

BRIGHT FINISH ON BOTH SIDES SIZE: 24.5 X 8.25
BOLT CIRCLE: 11.25
HUB BORE DIAMETER: 8.669
BOLT HOLE DIAMETER: 1.053
MAX WHEEL LOAD: 7400
REPLACED 983637



GLO401038

ALUMINUM WHEEL 22.5" X 12.25"

STANDARD POLISH ALUMINUM SUPER-SINGLE WHEEL HAS A 3.88" OFFSET PERFECT FOR FLOAT WHEELS. HAS A 11,400 LB LOAD CAPACITY AND FITS FRONT, REAR, AND TRAILER POSITIONS OF HUB PILOT CLASS.



GLO401040

IPT HIGH POLISH ZERO OFFSET SUPER-SINGLE



GLO401054

GLOBAL TRUCK AIR VALVES

GLOBAL TRUCK AIR VALVES FOR IRON WHEEL .
SOLD IN PACK OF 5 PCS.

BLACK COLOR STEEL IRON WHEEL 22.5 X 8.25



GLO401060

USED STEEL IRON WHEEL 22.5 X 8.25 AND 24.5 X 8.25

USED STEEL WHEEL 22.5 X 8.25: RIM: 22.5",
RIM WIDTH: 8.25", TWO (2) HAND HOLES:, BOLTS: 10,
AMERICAN TYPE. COLORS SILVERS OR WHITE



GLO401097