

Global

Excotrans USA



AIR COMPRESSOR

AIR COMPRESSOR



GLO021012

AIR COMPRESSOR DISCHARGE HOSE GLOBAL 36"

FEMALE SWIVEL BOTH ENDS,DURABLE STAINLESS STEEL OUTER BRAID. HIGH TEMP. TEFLON INNER TUBE WITHSTANDS TEMPS. FROM -65 " TO 450" F. INSIDE DIAMETER 1/2". OUTSIDE DIAMETER. 5/8" . WEIGHT 1.27LBS

CROSS REFERENCES: VELVAC 142536, TECTRAN 19DSW336. SPARES TY036, SLOAN 462218



GLO021015

AIR COMPRESSOR DISCHARGE HOSE GLOBAL 42"

FEMALE SWIVEL BOTH ENDS,DURABLE STAINLESS STEEL OUTER BRAID. HIGH TEMP. TEFLON INNER TUBE WITHSTANDS TEMPS. FROM 65 TO 450 F. INSIDE DIAMETER 1/2". OUTSIDE DIAMETER 5/8"

CROSS REFERENCES: ANCT-DC54; 41033-54; 462254; 19DSW354; 21436; K342-181-54; S-25054; GG89170-1054



GLO021020

AIR COMPRESSOR DISCHARGE HOSE GLOBAL 54"

FEMALE SWIVEL BOTH ENDS,DURABLE STAINLESS STEEL OUTER BRAID. HIGH TEMP. TEFLON INNER TUBE WITHSTANDS TEMPS. FROM 65 TO 450 F. INSIDE DIAMETER 1/2". OUTSIDE DIAMETER. 5/8".

CROSS REFERENCES: VELVAC 142554, ANCT-DC70; 41033-70; 462270; 19DSW354; 21436; K342-181-70; S-25070; GG89170-1070, TECTRAN 19DSW354, SPARES TY054.



GLO021022

AIR COMPRESSOR DISCHARGE HOSE GLOBAL 64"

FEMALE SWIVEL BOTH ENDS,DURABLE STAINLESS STEEL OUTER BRAID. HIGH TEMP. TEFLON INNER TUBE WITHSTANDS TEMPS. FROM -65 TO 450 F. INSIDE DIAMETER 1/2". OUTSIDE DIAMETER. 5/8".

AIR COMPRESSOR

GLO021050	GLO021055
GLOBAL AIR BRAKE HOSE ASSEMBLY 24"	GLOBAL AIR BRAKE HOSE ASSEMBLY 36"
<p>3/8" X 3/8" X 24", ONE END FIXED, ONE END SWIVEL. (INCLUDES FITTINGS)</p> <p>CROSS REFERENCE: MIDWEST WA01-5034, AUTOMANN 177.7224, BWP M-3755, DAYTON 12-38324, TECTRAN 16124-66, 16624,</p>	<p>3/8" X 3/8" X 36", ONE END FIXED, ONE END SWIVEL. (INCLUDES FITTINGS)</p> <p>CROSS REFERENCE: VELVAC 146036, WA01-5039, AUTOMANN 177.7236, BWP M-3761, WA01-5039, DAYTON 12-38336, TECTRAN 16136-66.</p>



AIR COMPRESSOR GLOBAL REPL. 9111535100X AFTERMARKET

DIMENSIONS: BORE SIZE: 85MM, CUBIC FEET PER MINUTE: 18.7, WATER PORT: M18 - 1.5 STOR, DISCHARGE PORT: M27 - 2.0 STOR, GOVERNOR PORT: M10 - 1.0 STOR. FOR ENGINE CUMMINS ISX

CROSS REFERENCE: BENDIX 9111535100X, MERTIROR R9559111535100X, WABCO SS318, 650-R9559111535100X, BEPCO 9111535100X, FREIGHTLINER HDX9111535100X, GREAT DANE MERR9559111535100X, KENWORTH 4318216CUM, 9111535100BXR, NAPA MBI9111535100X RYDER FLEET PRODUCT SU55 9111535100, VOLVO BW9111535100X, MIDLAND 9111535100X.



GLO224850

AIR COMPRESSOR GLOBAL REPL. 9111535400X AFTERMARKET

DIMENSIONS: BORE SIZE: 85MM, CFM: 18.7, WATER PORT: 3/8" NPT, DISCHARGE PORT: 1/2" NPT, GOVERNOR PORT: 1/8" - 27 NPT FOR ENGINE MACK E7 -TECH. CROSS REFERENCE: SS338E, MACK 9111535400X, WABCO 9111535400X, OEM NUMBER: 303GB5129. STANDARD APPLICATION.

9111535400X HALDEX COMPRESSOR HDX 9111535400X, FREIGHTLINER CORPORATION AIR COMPRESSOR, HDX 9111535400X, STERLING 5396-9111535400X, MACK MID9111535400X, VOLVO ZZ9111535400X, NAVISTAR INTERNATIONAL MBI9111535400X, NEWSTAR S-21436, MACK 303GB5129M & 303GB5129M2, GEAR FOR MACK / 9111535400 / 9111535400X / 303GB5129M



GLO224852

AIR COMPRESSOR GLOBAL TF 550 REPL. 109139X

AIR INLET: LEFT, AIR OUTLET: LEFT/TOP, COOLING WATER. FOR ENGINES CAT 3406, CAT C10, C12, C15, C16, TF 550. CROSS REFERENCE: HALDEX HDX109139X, BENDIX TF550 109139X HALDEX COMPRESSOR CAT TF550109139X, PACCAR ZZ109139X, NAVISTAR, TF550 MBI109139X, NAPA HDX 109139X, STERLING, TF550 HDX 109139X, FREIGHTLINER TF550, 5396-109139X, MACK TF550 MID109139X, VOLVO.



GLO224854

AIR COMPRESSOR



GLO224856

AIR COMPRESSOR REPL. GLOBAL 5301094RX AFTERMARKET

COMPONENTS ARE 100% INTERCHANGEABLE W/ OEM, NEW OUTRIGHT.
DESCRIPTION: CUBIC FEET PER MINUTE: 18.7, BORE SIZE: 85MM, WATER PORTS:
3/4" - 16 STOR, DISCHARGE PORTS: M27 - 2.0 STOR, GOVERNOR PORTS:
M10 - 1.0 S. FOR CUMMINS ENGINES. **CROSS REFERENCE:** CUMMINS 5301094RX,
WABCO SS318, 3948846, 3949098, 3949718, 3966520, 3969110, 5286677, 5301094,
4933782RX, 5286677RX, 5301094RX, FREIGHTLINER 5301094RX,
PACCAR CU5301094RX PARTS. VOLVO: 20701801, 20382347, 020547525, 85000396,
20569224. WABCO: 4127040087, 4127040080, 412704008.
DT: 244820, MERITOR ECU9111535300X & R9559111535300X
MIDLAND 9111535300X, NEWSTAR S-21435
VOLVO 3944525 & 9111535300



GLO224858

AIR COMPRESSOR GLOBAL REPL. 107509X CAT. AFTERMARKET TF 550

AIR BRAKE COMPRESSOR FOR HEAVY TRUCKS, SEMI TRUCKS, 18 WHEELERS, DIMENSIONS:
16" X 12.75" X 9", COOLING: WATER/AIR, AIR INLET: LEFT AIR OUTLET: LEFT/TOP, TAPERED SHAFT,
ENGINE DRIVE, FLANGE MOUNT, 16.5 CUBIC FEET PER MINUTE AT 1250 CFM.
CROSS REFERENCE: CATERPILLAR 3406B-3176, HALDEX TF550, HALDEX 5002984X,
BENDIX TF550- TF750, TILT 107509X, 107509X HALDEX 550 CAT 3406B, BENDIX,
TU-FLO 550, CATERPILLAR 3406 CATERPILLAR 3406B CATERPILLAR 3408 MACK 6 CYLINDER
107509X MIDRMAN, PACCAR PARTS, 550 CAT 3406B 107509XBXRMAN, BENDIX H107509X HD,
BENDIX STYLE TU-FLO 550, WATER AIR COOLING,
CAT 3406B-3176 HALDEX 550 CAT 3406B107509XMIDRMAN, PACCAR PARTS 550 CAT 3406B.



GLO224860

AIR COMPRESSOR GLOBAL REPL. EL13111X, AFTERMARKET.

MACK 6-CYLINDER IN LINE EXTENDED FLANGE ORIENTATION VIEWED FROM FRONT .
THRU DRIVE POWER STEERING ADAPTABLE. SERVICE UNITS ARE FURNISHED
WITHOUT GOVERNORS AND MANIFOLDS AND MAY REQUIRE HEAD ROTATION
AND END CAP ROTATION BEFORE INSTALLATION OR CHANGEOVER.

CROSS REFERENCE: MERITOR R955EL13111X ,
HALDEX EL13111X, NAPA MBIEL13111X, BENDIX 5002865BXR.



GLO224862

AIR COMPRESSOR GLOBAL AFTERMARKET 107506X. CUMINS

AIR COMPRESSOR GLOBAL TU-FLO 550 AFTERMARKET TWO CYLINDER SINGLE
STAGE RATED DISPLACEMENT AT 13.2 CFM AT 1250 RPM, FLANGE MOUNTING,
DISCHARGE LEFT INLET PORT PLACEMENT, LEFT-TOP DISCHARGE PORT PLACEMENT.
CROSS REFERENCES: MERITOR R955107506X, DETROIT DIESEL X52636200030 K2,
BENDIX 107506X, FITS CUMMINS ISM, NI4, MII ENGINES
REPLACES BENDIX 109197, BW107506X
VOLVO PART NUMBER 70001-8001, NAVISTAR ZZ107506XEL13040 AND EL13040X
COMPRESSORS MAY ALSO BE USED FOR THIS APPLICATION.

AIR COMPRESSOR

GLOBAL AIR COMPRESSOR REPLACEMENT, 109429

THIS AIR COMPRESSOR FITS A VARIETY OF FREIGHTLINER TRUCK MODELS EQUIPPED WITH DETROIT DIESEL ENGINES. PLEASE VERIFY FIT WITH OEM PART NUMBER LISTED BELOW.

CROSS REFERENCE: BENDIX 065537, 065538, 109425, MIDLAND 5004187X & 5004188X
NEWSTAR S-13394 ,F224888.



GLO224864

AIR COMPRESSOR GLOBAL REPL. D12 AFTERMARKET 20701801

FLANGE MOUNTING TYPE
TWIN CYLINDER COMPRESSOR WITH A BORE SIZE OF 85 MM AND A STROKE SIZE OF 62 MM,
FLANGE MOUNTING TYPES. THIS COMPRESSOR IS FOR VOLVO ENGINE APPLICATIONS.

CROSS REFERENCES: WABCO S412040080, VOLVO 20701801.
KNORR LP4823, DAF:1321470



GLO224865

GLOBAL AIR COMPRESSOR REPLACEMENT. 5012533X CAT

STYLE: BA-921, SINGLE CYLINDER.

APPLICATION SUMMARY: CATERPILLAR C15; CATERPILLAR C18 (INDUSTRIAL)

CROSS REFERENCE: 20R-0178, 20R0178, 10R9375, 385-0937, 3850937, 353-7137,
3537137, 5012533X, 5012533, AUTOMANN 170.AC5018485,2233637, 223-3637,
20R0178, 20R0176, 10R9375, OR1624, 7455012533X, 745X5012533, 745X-5012533,
R9555012533X, BX5012533X, F5012533X, 5011427, BW 5012533, BEX5012533X,
BEN5012533X, BAR5012533, 801463, 5012533, 5012532X, 5012532, 046255012533X,
745-5012533X, K020284X, K020284, K020283, HVG5012533X, BW5012533
5012533BXR, OR1624



GLO224868

GLOBAL AIR COMPRESSOR REPLACEMENT, 9111535200X


WABCO AIR COMPRESSOR. CUMMINS L, M, N,CUMMINS N14 AIR COMPRESSOR 18.7

CROSS REFERENCE: 9111535200X
3104324,3104324RX,3104324X,3558163,4059825,4318214RX, 58163,
HB9111535200X,WABCO SS318



GLO224874

AIR COMPRESSOR



GLO224876

GLOBAL AIR COMPRESSOR REPLACEMENT, EL13053X

DETROIT 60 SER 12.7 AIR . COMPRESSOREL1300 DDC ,EL1300 AIR BRAKE COMPRESSOR - REMANUFACTURED, FLANGE MOUNT, GEAR DRIVEN, WATER COOLING,BLOCK ROTATION LEFT.

CROSS REFERENCE: BENDIX 065216, NAVISTAR ZZ107622X, VOLVO 3099314, MIDLAND NT400118N,DETROIT DIESEL 23505234, BENDIX 107785, EUCLID E-MDEL13053X, BENDIX 65216, MERITOR R955107622X.



GLO224878

GLOBAL AIR COMPRESSOR REPLACEMENT, 3558072X

AIR BRAKE COMPRESSOR FOR CUMMINS ENGINE L10 M11 N14
GLOBAL AIR COMPRESSOR REPLACEMENT, 3558072X.

OEM NO. 3047440. **CROSS REFERENCE:** 046253558072X,1753558072X, 3558072, 3558072RX, 3558072X, 3558072XBP, 3558131, 3558131X, 745-3558072XX, 7453558072XX, ML3558072X, 745X-3558072X, 745X3558072X, BAR3558072X, BEN3558072X, BEX3558072X, BTR3558072X, BW 3558072X, BW R3558072X, BW3558072X, BWR3558072X, BX 3558072X, BX3558072X, BXX3558072X, HB3558072X, MB3558072X, ML3558072X, R3558072X, R9553558072X, SMR3558072X



GLO224880

GLOBAL AIR COMPRESSOR REPLACEMENT, 911153019X

CUMMINS ISX, OE MANUFACTURER 4318220RX, 3687343.

CROSS REFERENCE: 3685918, 3687343, 3690864, 3690864RX, 4318220, 4318220NX, 4318220RX, 9111530197X, RX3690864RXCUM, CUMMINS 4318220RX 4318220 3690864RX 3687343 4318220NX 3685918 3690864
MERITOR R9559111530197X
WABCO 9111530197
NEWSTAR S-28556



GLO224882

GLOBAL AIR COMPRESSOR REPLACEMENT, 3049186X

BENDIX HOLSET CUMMINS AIR COMPRESSOR SS296.

CROSS REFERENCE: R9553049186X, 3049186X
3018543X, BX3018543X, MI3018543X ,BENDIX 3049186X WABCO SS296

AIR COMPRESSOR

GLOBAL AIR COMPRESSOR REPLACEMENT, 286554X

TU-FLO 501 SERIES AIR COMPRESSOR, TWO CYLINDER SINGLE STAGE, RATED DISPLACEMENT AT 12 CFM AT 1250 RPM, FLANGE MOUNTING, FLANGE DISCHARGE TYPE LEFT INLET PORT LOCATION, LEFT DISCHARGE PORT LOCATION.

CROSS REFERENCE: R9553049186X, E-BN286554X, 286554, HDX286554X, MERITOR R955286554X.



GLO224884

GLOBAL AIR COMPRESSOR REPLACEMENT, 286618X

CROSS REFERENCES: 103143, 104963, 286034, 286038, 286039, 286040, 286042, 286555, 286618, 103143, 104963, 104963X, 286034, 286038, 286039, 286040, 286042, 286555, 286555X, 286618, 745286618, R955286555X




GLO224886

GLOBAL AIR COMPRESSOR REPLACEMENT, 5018485X

DETROIT DIESEL SERIES 60 SERIES WITH EGR, FLANGE MOUNT, WATER AND AIR COOLED, 63 TOOTH GEAR, MODEL BA921.

CROSS REFERENCE: 5010824X, 5010824, 5012794, 5014382, 5014382X, 5016612, 5016614, 5016614X, 5016799, 5016799X, 5018485, 5018514, 5018516, 5018516X, 5018523, 5018523X, 802767, EUCLID EBN5018485X



GLO224888

GLOBAL AIR COMPRESSOR REPLACEMENT 3689649RX CUMMINS

GLOBAL AIR COMPRESSOR REPLACEMENT 3689649RX CUMMINS, AIR COMPRESSOR FITS CUMMINS ENGINE ISX15.

CROSS REFERENCE: 3689649, 9111530270, 3689649RX



GLO224870